

PVC Plastic Fittings

PVC

Schedule 40



Corrosion Resistant Thermoplastic Fittings:

Parker Hannifin, Veriflo Division, Partek Operation has a complete line of thermoplastic fittings which provide superior chemical resistance. Since they are made from a variety of engineering plastics, corrosion becomes a thing of the past when using the appropriate products.

Parker's PVC plastic fittings are used in many applications where acids and corrosive chemicals are used in place of stainless systems when a greater corrosion resistance is desired. They are used in a variety of applications such as chemical production, water, industrial water treatment, plating & metal treatment, pulp & paper, refinishing and power plants.



Contact Information:

Parker Hannifin Corporation
Veriflo Division
Partek Operation
7075 East Southpoint Road
Tucson, Arizona 85706

phone 520 574 2600
fax 520 574 2700

www.parker.com/partek

Product Features:

- Good acid and alkali resistance
- Good electrical resistance
- High strength
- Low friction loss
- Easy installation
- Low thermal conductivity
- Cost effective
- Light weight
- Maintenance free
- Long life



ENGINEERING YOUR SUCCESS.

PVC Plastic Fittings - Schedule 40

- S = Slip Connection
- F = Female Pipe Threads
- M = Male Pipe Threads
- B = Blind Flange

Tee Reducing

(S*S*S)



Part Number	Size (In.)	Carton (Qty)
9011120808	¾" x ½" x ½"	50
9011120812	¾" x ½" x ¾"	50
9011121208	¾" x ¾" x ½"	50
9011160816	1" x ½" x 1"	50
9011161208	1" x ¾" x ½"	50
9011161212	1" x ¾" x ¾"	50
9011161216	1" x ¾" x 1"	50
9011161608	1" x 1" x ½"	50
9011161612	1" x 1" x ¾"	50
9011242408	1½" x 1½" x ½"	25
9011242412	1½" x 1½" x ¾"	25
9011242416	1½" x 1½" x 1"	25
9011322412	2" x 1½" x ¾"	10
9011322426	2" x 1½" x 1"	10
9011322424	2" x 1½" x 1½"	10
9011323208	2" x 2" x ½"	10
9011323212	2" x 2" x ¾"	10
9011323216	2" x 2" x 1"	10
9011323224	2" x 2" x 1½"	10

Tee

(S*S*S)



Part Number	Size (In.)	Carton (Qty)
9011108	½"	50
9011112	¾"	50
9011116	1"	50
9011124	1½"	25
9011132	2"	25

(S*S*F)



Part Number	Size (In.)	Carton (Qty)
902108	½"	50
902112	¾"	50
902116	1"	50
902124	1½"	25
902132	2"	10

(F*F*F)



Part Number	Size (In.)	Carton (Qty)
904108	½"	50
904112	¾"	50
904116	1"	50
904132	2"	25

(S*S*F)



Part Number	Size (In.)	Carton (Qty)
9021080812	½" x ½" x ¾"	50
9021120808	¾" x ½" x ½"	50
9021120812	¾" x ½" x ¾"	50
9021121208	¾" x ¾" x ½"	50
9021181208	1" x ¾" x ½"	50
9021161212	1" x ¾" x ¾"	50
9021161608	1" x 1" x ½"	50
9021161612	1" x 1" x ¾"	50
9021242408	1½" x 1½" x ½"	25
9021242412	1½" x 1½" x ¾"	25
9021242416	1½" x 1½" x 1"	25
9021322416	2" x 1½" x 1"	10
9021323208	2" x 2" x ½"	10
9021323212	2" x 2" x ¾"	10
9021323216	2" x 2" x 1"	10
9021323224	2" x 2" x 1½"	10

Tee Bullhead

(S*S*S)



Part Number	Size (In.)	Carton (Qty)
9011080812	½" x ½" x ¾"	50
9011121216	¾" x ¾" x 1"	50
9011161624	1" x 1" x 1½"	25
9011242432	1½" x 1½" x 2"	25

**** Do not recommend to service or test with compressed air ****

PVC Plastic Fittings - Schedule 40

45° Elbow

(S*S)



Part Number	Size (In.)	Carton (Qty)
711108	1/2"	50
711112	3/4"	50
711116	1"	50
711124	1 1/2"	25
711132	2"	25

90° Elbow Reducing

(S*S)



Part Number	Size (In.)	Carton (Qty)
70111208	3/4" x 1/2"	50
70111608	1" x 1/2"	50
70111612	1" x 3/4"	50
70112416	1 1/2" x 1"	25
70113216	2" x 1"	25
70113224	2" x 1 1/2"	25

90° Elbow

(S*S)



Part Number	Size (In.)	Carton (Qty)
701108	1/2"	50
701112	3/4"	50
701116	1"	50
701124	1 1/2"	25
701132	2"	25

(S*F)



Part Number	Size (In.)	Carton (Qty)
70210812	1/2" x 3/4"	50
70211208	3/4" x 1/2"	50
70211608	1" x 1/2"	50
70211612	1" x 3/4"	50
70212416	1 1/2" x 1"	25
70213216	2" x 1"	25
70213224	2" x 1 1/2"	10

(F*S)



Part Number	Size (In.)	Carton (Qty)
702108	1/2"	50
702112	3/4"	50
702116	1"	50
702124	1 1/2"	25
702132	2"	10

90° Street Elbow

(S*S)



Part Number	Size (In.)	Carton (Qty)
704108	1/2"	50
704112	3/4"	50
704116	1"	50
704124	1 1/2"	25
704132	2"	10

(F*F)



Part Number	Size (In.)	Carton (Qty)
703108	1/2"	50
703112	3/4"	50
703116	1"	50
703124	1 1/2"	25
703132	2"	10

(M*S)



Part Number	Size (In.)	Carton (Qty)
705108	1/2"	50
705112	3/4"	50
705116	1"	50
705124	1 1/2"	25
705132	2"	10

(S*F)



Part Number	Size (In.)	Carton (Qty)
706108	1/2"	50
706112	3/4"	50
706116	1"	50
706124	1 1/2"	25

PVC Plastic Fittings - Schedule 40

Side Outlet 90° Elbow

(S*S*S)



Part Number	Size (In.)	Carton (Qty)
708108	1/2"	50
708112	3/4"	50
708116	1"	25
708124	1 1/2"	25
708132	2"	10

Coupling

(S)



Part Number	Size (In.)	Carton (Qty)
801108	1/2"	100
801112	3/4"	50
801116	1"	50
801124	1 1/2"	25
801132	2"	25

(S*S*F)



Part Number	Size (In.)	Carton (Qty)
709108	1/2"	50
7091121208	3/4" x 3/4" x 1/2"	50
709116	1"	25
7091161608	1" x 1" x 1/2"	25

(F*F)



Part Number	Size (In.)	Carton (Qty)
804108	1/2"	100
804112	3/4"	50
80411208	3/4" x 1/2"	50
804116	1"	50
80411612	1" x 3/4"	50
804132	2"	25

Cross

(S)



Part Number	Size (In.)	Carton (Qty)
905108	1/2"	50
905112	3/4"	50
905116	1"	50
905124	1 1/2"	25
905132	2"	10

Female Adapter

(S*F)



Part Number	Size (In.)	Carton (Qty)
602108	1/2"	100
602112	3/4"	50
602116	1"	50
602124	1 1/2"	25
602132	2"	25

Reducer Coupling

(S)



Part Number	Size (In.)	Carton (Qty)
80311208	3/4" x 1/2"	50
80311612	1" x 3/4"	50
80313224	2" x 1 1/2"	10

Female Adapter Reducing

(S*F)



Part Number	Size (In.)	Carton (Qty)
60210812	1/2" x 3/4"	50
60211208	3/4" x 1/2"	50
60211216	3/4" x 1"	50
60211608	1" x 1/2"	25
60211612	1" x 3/4"	50

**** Do not recommend to service or test with compressed air ****

PVC Plastic Fittings - Schedule 40

Male Adapter

(M*S)



Part Number	Size (In.)	Carton (Qty)
603108	1/2"	100
603112	3/4"	50
603116	1"	50
603124	1 1/2"	25
603132	2"	25

Reducer Bushing

(S*S)



Part Number	Size (In.)	Carton (Qty)
50111208	3/4" x 1/2"	100
50111608	1" x 1/2"	100
50111612	1" x 3/4"	100
50112408	1 1/2" x 1/2"	25
50112412	1 1/2" x 3/4"	25
50112416	1 1/2" x 1"	25
50113208	2" x 1/2"	10
50113212	2" x 3/4"	10
50113216	2" x 1"	10
50113224	2" x 1 1/2"	25

Male Adapter Reducing

(M*S)



Part Number	Size (In.)	Carton (Qty)
60310812	1/2" x 3/4"	50
60311208	3/4" x 1/2"	50
60311216	3/4" x 1"	50
60311612	1" x 3/4"	50
60312432	1 1/2" x 2"	10

(S*F)



Part Number	Size (In.)	Carton (Qty)
50211208	3/4" x 1/2"	100
50211608	1" x 1/2"	100
50211612	1" x 3/4"	100
50212408	1 1/2" x 1/2"	25
50212412	1 1/2" x 3/4"	25
50212416	1 1/2" x 1"	25
50213208	2" x 1/2"	10
50213212	2" x 3/4"	10
50213216	2" x 1"	10
50213224	2" x 1 1/2"	10

Threaded Bushing

(M*F)



Part Number	Size (In.)	Carton (Qty)
50310808	1/2" x 1/2"	50
50311208	3/4" x 1/2"	50
50311608	1" x 1/2"	50
50311612	1" x 3/4"	50
50312408	1 1/2" x 1/2"	25
50312412	1 1/2" x 3/4"	25
50312416	1 1/2" x 1"	25
50312432	1 1/2" x 2"	10
50313216	2" x 1"	10

Cap

(S)



Part Number	Size (In.)	Carton (Qty)
401108	1/2"	100
401112	3/4"	100
401116	1"	50
401124	1 1/2"	25
401132	2"	25

(F)



Part Number	Size (In.)	Carton (Qty)
402108	1/2"	100
402112	3/4"	100
402116	1"	50
402124	1 1/2"	25
402132	2"	25

** Do not recommend to service or test with compressed air **

PVC Plastic Fittings - Schedule 40

Plug

(S)



Part Number	Size (In.)	Carton (Qty)
403108	1/2"	50
403112	3/4"	50
403116	1"	50
403124	1 1/2"	25
403132	2"	10

(M)



Part Number	Size (In.)	Carton (Qty)
404108	1/2"	50
404112	3/4"	50
404116	1"	50
404124	1 1/2"	25
404132	2"	10

Union (O-Ring type)

(S*S)



Part Number	Size (In.)	Carton (Qty)
301108	1/2"	10
301112	3/4"	10
301116	1"	10
301124	1 1/2"	5
301132	2"	5

(F*F)



Part Number	Size (In.)	Carton (Qty)
302108	1/2"	10
302112	3/4"	10
302116	1"	10
302124	1 1/2"	5
302132	2"	5

**** Do not recommend to service or test with compressed air ****

OFFER OF SALE:

The items described in this document are hereby offered for sale by Parker-Hannifin Corporation, its subsidiaries or its authorized distributors. This offer and its acceptance are governed by the provisions stated in the detailed "Offer of Sale" elsewhere in this document or available at www.parker.com/partek



WARNING USER RESPONSIBILITY

FAILURE OR IMPROPER SELECTION OR IMPROPER USE OF THE PRODUCTS DESCRIBED HEREIN OR RELATED ITEMS CAN CAUSE DEATH, PERSONAL INJURY AND PROPERTY DAMAGE. THIS DOCUMENT IS FOR REFERENCE ONLY. PLEASE CONSULT FACTORY FOR LATEST PRODUCT DRAWINGS AND SPECIFICATIONS

This document and other information from Parker-Hannifin Corporation, its subsidiaries and authorized distributors provide product or system options for further investigation by users having technical expertise.

The user, through its own analysis and testing, is solely responsible for making the final selection of the system and components and assuring that all performance, endurance, maintenance, safety and warning requirements of the application are met. The user must analyze all aspects of the application, follow applicable industry standards, and follow the information concerning the product in the current product catalog and in any other materials provided from Parker or its subsidiaries or authorized distributors.

To the extent that Parker or its subsidiaries or authorized distributors provide component or system options based upon data or specifications provided by the user, the user is responsible for determining that such data and specifications are suitable and sufficient for all applications and reasonably foreseeable uses of the components or systems.

