

## QUOTATION

GGN / 2021-21 / QTN – 3.5 TO 160 KVA

**ALL DG SET'S ARE IN ONE ROOF**







**ISO 9001 : 2015**

**SUB. : Quotation for supply of 3.5 KVA to 160 KVA KIRLOSKAR – KOEL iGREEN Silent - D. G. Set**

Dear Sir / Madam,

We acknowledge with thanks receipt of your above mentioned enquiry and are pleased to submit our offer for the same. Await your valued PO. We are dealing in “, KIRLOSKAR KOEL iGREEN, ”, in the range of 3.5 KVA to 1500 KVA D. G. Set with Sales, Service and Spares. We are also manufacturing Sound Proof Canopy, AMF Panel, Synchronization Panel, LT / HT Panel, Distribution Panel, Special Panel, Meter Panel. Installation of D.G. Set, Repairing, Servicing and Overhauling of D.G. Set and Alternators. D G set on Rent / Hire.

**“ We Deal with Customer not Competitor ” “ We are not doing business only, but developing relationship also ! ”**

	<p><b>3.5 KVA – KIRLOSKAR</b> KOEL iGREEN Silent DG Set</p> <p><b>CHHOTA CHILLI - DIESEL</b> MODEL – CC3.5AS, Air Cooled MAX OUTPUT – 3 KW, 1 PH, 230 V, 0.8 PF, RPM 3000, KEY START WITH BATTERY, L 1150 X W 560 X H 840 mm WEIGHT – 190 KG.</p> <p><b>Price : Rs. 1,07,000/-</b></p>		<p><b>5 KVA – KIRLOSKAR</b> KOEL iGREEN Silent DG Set</p> <p><b>CHHOTA CHILLI - DIESEL</b> MODEL – CC5AS, Air Cooled MAX OUTPUT – 5 KW / 4 KW 1 PH, 230 V, 0.8 PF, RPM 3000 KEY START WITH BATTERY L 1150 X W 560 X H 840 mm WEIGHT – 190 KG.</p> <p><b>BASIC PRICE RS. 1,45,000/-</b></p>
	<p><b>7.5 KVA KIRLOSKAR (KOEL</b> <b>iGreen) SILENT DG SET</b></p> <p>ENGINE MODEL – EA10G1, AIR COOLED, BHP 10 @ 1500 RPM, 1 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 1310 X W 810 X H 1330 mm, <b>Wt.</b> 720 Kg. Fuel Tank 50 Ltr. 1st Fill of Lube Oil, Battery, AVM Pads, <b>Std.</b> <b>Control Panel.</b> Residential Silencer. With KRM Unit &amp; AMF Logic Panel – A Type</p> <p><b>Price : Rs. 1,80,000/- 1 Phase</b> <b>Price : Rs. 1,77,000/- 3 Phase</b></p>		<p><b>KIRLOSKAR (KOEL iGreen)</b> <b>10 KVA SILENT DG SET -</b></p> <p>ENGINE MODEL – EA16G1, AIR COOLED, BHP 16 @ 1500 RPM, 2 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 1760 X W 820 X H 1330 mm, <b>Wt.</b> 800 Kg. Fuel Tank 50 Ltr. 1st Fill of Lube Oil, Battery, AVM Pads, <b>Std. Control Panel.</b> Residential Silencer. With KRM Unit &amp; AMF Logic Panel – A Type</p> <p><b>Price : Rs. 2,05,000/- 1 Phase</b> <b>Price : Rs. 1,99,000/- 3 Phase</b></p>
	<p><b>KIRLOSKAR (KOEL iGreen)</b> <b>12.5 KVA SILENT DG SET</b></p> <p>ENGINE MODEL – EA16G1, AIR COOLED, BHP 16 @ 1500 RPM, 2 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 1760 X W 820 X H 1330 mm, <b>Wt.</b> 890 Kg. Fuel Tank 50 Ltr. 1st Fill of Lube Oil, Battery, AVM Pads, <b>Std.</b> <b>Control Panel.</b> Residential Silencer. With KRM Unit &amp; AMF Logic Panel – A Type</p> <p><b>Price : Rs. 2,13,000/- 1 Phase</b> <b>Price : Rs. 2,07,000/- 3 Phase</b></p>		<p><b>KIRLOSKAR - KOEL iGREEN</b> <b>15 KVA DG SET</b></p> <p>ENGINE MODEL – HA294G1, AIR COOLED, BHP 20.5 @ 1500 RPM, 2 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 1760 X W 1040 X H 1410 mm, <b>Wt.</b> 950 Kg. Fuel Tank 65 Ltr. 1st Fill of Lube Oil, Battery, AVM Pads, <b>Std. Control Panel.</b> Residential Silencer. With KRM Unit &amp; AMF Logic Panel – A Type</p> <p><b>Price : Rs. 2,40,000/- 1 Phase</b> <b>Price : Rs. 2,22,000/- 3 Phase</b></p>



**KIRLOSKAR - KOEL iGREEN  
20 KVA DG SET**

ENGINE MODEL – 2R1040G1, WATER COOLED, BHP 25.5 @ 1500 RPM, 2 CYLINDER. ALTERNATOR : KOEL GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2050 X W 950 X H 1220 mm, **Wt.** 1000 Kg. Fuel Tank 65 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Control Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 2,55,000/- 1 Phase**

**Price : Rs. 2,45,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
25 KVA DG SET**

ENGINE MODEL – 3R1040TG1, WATER COOLED, BHP 42 @ 1500 RPM, 3 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2350 X W 950 X H 1230 mm, **Wt.** 1200 Kg. Fuel Tank 65 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Control Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 2,90,000/- 1 Phase**

**Price : Rs. 2,80,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
30 KVA DG SET**

ENGINE MODEL – 3R1040TG1, WATER COOLED, BHP 42 @ 1500 RPM, 3 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2500 X W 950 X H 1294 mm, **Wt.** 1200 Kg. Fuel Tank 65 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Control Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 3,18,000/- 1 Phase**

**Price : Rs. 3,03,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
35 KVA DG SET**

ENGINE MODEL – 3R1040TG1, WATER COOLED, BHP 42 @ 1500 RPM, 3 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2500 X W 950 X H 1294 mm, **Wt.** 1200 Kg. Fuel Tank 65 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Control Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 3,30,000/- 1 Phase**

**Price : Rs. 3,10,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
40 KVA DG SET**

ENGINE MODEL – 3R1040TAG1, WATER COOLED, BHP 56 @ 1500 RPM, 3 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2900 X W 1050 X H 1493 mm, **Wt.** 1300 Kg. Fuel Tank 100 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 3,90,000/- 1 Phase**

**Price : Rs. 3,70,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
45 KVA DG SET**

ENGINE MODEL – 3R1040TAG1, WATER COOLED, BHP 56 @ 1500 RPM, 3 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. / 1 PH, 230V, 0.8 PF, 50 HZ. **Dimensions** : L 2750 X W 1050 X H 1493 mm, **Wt.** 1300 Kg. Fuel Tank 100 Ltr. 1st Fill of Lube Oil & Coolant, Battery, AVM Pads, **Std. Panel.** Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 3,98,000/- 1 Phase**

**Price : Rs. 3,85,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
62.5 KVA DG SET**

KG1-62.5WS – ENGINE MODEL – 4R810TA G1 WATER COOLED, BHP 83 @ 1500 RPM, 4 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 2800 X W 1100 X H 1581 mm, **Wt.** 1550 Kg. Fuel Tank 150 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 4,15,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
82.5 KVA DG SET**

KG1-82.5WS – ENGINE MODEL – 4R1040TA G1 WATER COOLED, BHP 102 @ 1500 RPM, 4 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 3200 X W 1100 X H 1595 mm, **Wt.** 1840 Kg. Fuel Tank 230 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 5,15,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
100 KVA DG SET**

KG1-100WS – ENGINE MODEL – 4K1080TA G2 WATER COOLED, BHP 156 @ 1500 RPM, 4 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 3220 X W 1300 X H 1795 mm, **Wt. 2290** Kg. Fuel Tank 230 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 6,00,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
125 KVA DG SET (4K1080TA)**

KG1-125WS – ENGINE MODEL – 4K1080TAG2 WATER COOLED, BHP 156 @ 1500 RPM, 4 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 3220 X W 1300 X H 1795 mm, **Wt. 2290** Kg. Fuel Tank 230 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop. KRM Unit

**Price : Rs. 6,15,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
125 KVA DG SET (6R1080TA )**

KG1-125WS – ENGINE MODEL – 6R1080TAG1 WATER COOLED, BHP 175 @ 1500 RPM, 6 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 3650 X W 1350 X H 1915 mm, **Wt. 2730** Kg. Fuel Tank 230 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop

**Price : Rs. 6,38,000/- 3 Phase**



**KIRLOSKAR - KOEL iGREEN  
160 KVA DG SET**

KG1-160WS – ENGINE MODEL – 6K1080TA G2 WATER COOLED, BHP 200 @ 1500 RPM, 6 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L 4040 X W 1540 X H 1916 mm, **Wt. 2950** Kg. Fuel Tank 300 Ltr. 1st Fill of Lube Oil & Coolant. Battery, AVM Pads, **Std. Control Panel** With Microprocessor Controller With Engine Safeties & Protections. Residential Silencer. With KRM Unit & AMF Logic Panel – ( A Type ) - only Auto Start & Stop.

**Price : Rs. 8,68,000/- 3 Phase**

**TERMS & CONDITIONS :**

**CALL US FOR BEST DEAL**

<b>GST</b>	<b>GST @ 18 % Extra. TRANSPORT - Extra</b>	<b>OPTIONAL are in</b>	Unloading, Exhaust piping, Civil Foundation & Pits.
<b>DELIVERY</b>	<b>Within 1 – 2 weeks</b>	<b>BUYERS SCOPE</b>	PWD Permission, Diesel, Mathadi Kamgar Fees,
<b>PAYMENT</b>	25 % Advance & Balance against Proforma Invoice before dispatch.	<b>INSTALLATION</b>	Charges Extra. It depends on site visit measurements
<b>WARRANTY</b>	2 Years / 5000 Hrs. Whichever is earlier ( per Mfg Warranty Policy )	<b>Lub Oil Change</b>	500 Hrs

<b>COMPANY NAME</b>	<b>GSTIN</b>	<b>PAN</b>
<b>GOODWILL POWER GENERATORS</b>	<b>27AGTPD9090J1ZQ</b>	<b>AGTPD9090J</b>
<b>GLOBAL POWER SOLUTIONS</b>	<b>27AAEHD9136N1ZV</b>	<b>AAEHD9136N</b>
<b>NOBLE POWER CORPORATION</b>	<b>27AHQPD6670E1Z6</b>	<b>AHQPD6670E</b>

We trust you will find our offer in line with your requirement & await your favorable reply to receive most valued order.



**We take CARE of your POWER Needs**

Thanking you and assuring of our best services at all times.

Yours Faithfully,

**ANIL DOMBE - 09822530604 ( whatsapp ) / 09422321307**

Email : goodwillgenset@gmail.com, anildombe@gmail.com

## QUOTATION

GGN / 2020-21 / QTN – 200 to 750 KVA

**ALL DG SET'S ARE IN ONE ROOF**







**ISO 9001 : 2015**

**SUB. : Quotation for supply of 200 KVA to 750 KVA KIRLOSKAR – KOEL GREEN Silent - D. G. Set**

Dear Sir / Madam,

We acknowledge with thanks receipt of your above mentioned enquiry and are pleased to submit our offer for the same. Await your valued PO. We are dealing in “, **KIRLOSKAR - KOEL GREEN,**”, in the range of 3.5 KVA to 1500 KVA D. G. Set with Sales, Service and Spares. We are also manufacturing Sound Proof Canopy, AMF Panel, Synchronization Panel, LT / HT Panel, Distribution Panel, Special Panel, Meter Panel. Installation of D.G. Set, Repairing, Servicing and Overhauling of D.G. Set and Alternators. D G set on Rent / Hire.

**“ We Deal with Customer not Competitor ” “ We are not doing business only, but developing relationship also ! ”**

	<p><b>KIRLOSKAR - KOEL GREEN 200 KVA SILENT DG SET</b></p> <p>KG1-200WS – ENGINE MODEL – 6SL1500TA G2 WATER COOLED, BHP 248 @ 1500 RPM, 6 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 4300 X W 1700 X H 1970 mm, <b>Wt.</b> 4300 Kg. Fuel Tank 460 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 10,75,000/-</b></p>		<p><b>KIRLOSKAR - KOEL GREEN 250 KVA SILENT DG SET</b></p> <p>KG1-250WS – ENGINE MODEL – 6SL1500TA G2 WATER COOLED, BHP 248 @ 1500 RPM, 6 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 4300 X W 1700 X H 1970 mm, <b>Wt.</b> 4500 Kg. Fuel Tank 460 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 13,00,000/-</b></p>
	<p><b>KIRLOSKAR - KOEL GREEN 320 KVA SILENT DG SET</b></p> <p>KG1-320WS – ENGINE MODEL – DV 8 TAG1 WATER COOLED, BHP 400 @ 1500 RPM, 8 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 5100 X W 2000 X H 2910 mm, <b>Wt.</b> 6650 Kg. Fuel Tank 850 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 17,00,000/-</b></p>		<p><b>KIRLOSKAR - KOEL GREEN 380 KVA SILENT DG SET</b></p> <p>KG1-380WS – ENGINE MODEL – DV 8 TAG2 WATER COOLED, BHP 470 @ 1500 RPM, 8 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 5373 X W 2000 X H 3020 mm, <b>Wt.</b> 6750 Kg. Fuel Tank 850 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 19,75,000/-</b></p>
	<p><b>KIRLOSKAR - KOEL GREEN 400 KVA SILENT DG SET</b></p> <p>KG1-400WS – ENGINE MODEL – DV 8 TAG3 WATER COOLED, BHP 490 @ 1500 RPM, 8 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 5575 X W 2000 X H 3020 mm, <b>Wt.</b> 6800 Kg. Fuel Tank 850 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 20,50,000/-</b></p>		<p><b>KIRLOSKAR - KOEL GREEN 500 KVA SILENT DG SET</b></p> <p>KG1-500WS – ENGINE MODEL – DV 10 TAG1 WATER COOLED, BHP 608 @ 1500 RPM, 10 CYLINDER. ALTERNATOR : KIRLOSKAR GREEN, 3 PH, 415V, 0.8 PF, 50 HZ. <b>Dimensions</b> : L 5650 X W 2000 X H 3177 mm, <b>Wt.</b> 8050 Kg. Fuel Tank 990 Ltr. 1st Fill of Lube Oil &amp; Coolant. Battery, AVM Pads, Std. Control Panel With Microprocessor Controller With Engine Safeties &amp; Protections. Residential Silencer.</p> <p><b>Price : Rs. 24,00,000/-</b></p>



**KIRLOSKAR - KOEL GREEN  
600 KVA SILENT DG SET**

KG1-600WS – ENGINE MODEL – DV12  
TAG1 WATER COOLED, BHP 723 @  
1500 RPM, 12 CYLINDER.  
ALTERNATOR : KIRLOSKAR GREEN, 3  
PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L  
6500 X W 2000 X H 3385 mm, **Wt.** 8550  
Kg. Fuel Tank 990 Ltr. 1st Fill of Lube Oil  
& Coolant. Battery, AVM Pads, Std.  
Control Panel With Microprocessor  
Controller With Engine Safeties &  
Protections. Residential Silencer.  
**Price : Rs. 34,50,000/-**




**KIRLOSKAR - KOEL GREEN  
625 KVA SILENT DG SET**

KG1-625WS – ENGINE MODEL – DV 12  
TAG2 WATER COOLED, BHP 750 @  
1500 RPM, 12 CYLINDER.  
ALTERNATOR : KIRLOSKAR GREEN, 3  
PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L  
6500 X W 2000 X H 3385 mm, **Wt.** 8650  
Kg. Fuel Tank 990 Ltr. 1st Fill of Lube Oil  
& Coolant. Battery, AVM Pads, Std.  
Control Panel With Microprocessor  
Controller With Engine Safeties &  
Protections. Residential Silencer.  
**Price : Rs. 35,00,000/-**



**KIRLOSKAR - KOEL GREEN  
750 KVA SILENT DG SET**

KG1-750WS – ENGINE MODEL – DV12  
ETAG1 WATER COOLED, BHP 900 @  
1500 RPM, 12 CYLINDER.  
ALTERNATOR : KIRLOSKAR GREEN, 3  
PH, 415V, 0.8 PF, 50 HZ. **Dimensions** : L  
6800 X W 2300 X H 3400 mm, **Wt.** 8650  
Kg. Fuel Tank 990 Ltr. 1st Fill of Lube Oil  
& Coolant. Battery, AVM Pads, Std.  
Control Panel With Microprocessor  
Controller With Engine Safeties &  
Protections. Residential Silencer.  
**Price : Rs. 44,50,000/-**



**TERMS & CONDITIONS :**

**CALL US FOR BEST DEAL**

<b>GST</b>	<b>GST @ 18 % Extra.</b>	<b>TRANSPORT - Extra</b>	<b>OPTIONAL are in BUYERS SCOPE</b>	Unloading, Exhaust piping, Civil Foundation & Pits. PWD Permission, Diesel, Mathadi Kamgar Fees,
<b>DELIVERY</b>	<b>Within 1 – 2 weeks</b>			
<b>PAYMENT</b>	25 % Advance & Balance against Proforma Invoice before dispatch.		<b>INSTALLATION</b>	Charges Extra. It depends on site visit measurements
<b>WARRANTY</b>	2 Years / 5000 Hrs. Whichever is earlier ( per Mfg Warranty Policy )		<b>Lub Oil Change</b>	500 Hrs

<b>COMPANY NAME</b>	<b>GSTIN</b>	<b>PAN</b>
<b>GOODWILL POWER GENERATORS</b>	<b>27AGTPD9090J1ZQ</b>	<b>AGTPD9090J</b>
<b>GLOBAL POWER SOLUTIONS</b>	<b>27AAEHD9136N1ZV</b>	<b>AAEHD9136N</b>
<b>NOBLE POWER CORPORATION</b>	<b>27AHQPD6670E1Z6</b>	<b>AHQPD6670E</b>

We trust you will find our offer in line with your requirement & await your favorable reply to receive most valued order.



**We take CARE of your POWER Needs**

Thanking you and assuring of our best services at all times.

Yours Faithfully,

**ANIL DOMBE - 09822530604 ( whatsapp ) / 09422321307**

Email : goodwillgenset@gmail.com, anildombe@gmail.com